

PVC Caps and Accessories

Premium
Quality!

All PVC caps and accessories are available in White (WH), Almond (AL) and Khaki (KK). Some sku's may have a short special order lead time for colors. Check with Customer Service for availability.

NATIONWIDE
INDUSTRIES

Phone: (813) 988-2628 • Fax: (866) 988-3465 • Email: info@nationwideindustries.com

PVC Post Caps




Gothic Post Cap

VPC-GOTH4-WH-2 (White)

- 4" cap – external fit
- Corner radius: .06"
- Extends: 1.4" over the profile
- Total height: 7.8"
- 45 per case @ 25bs

VPC-GOTH5-WH-2 (White)

- 5" cap – external fit
- Corner radius: .03"
- Extends: 1.6" over the profile
- Total height: 9.64"
- 48 per case @ 44lbs




External Horse Flat Post Cap

VPC-EXHFL4-WH-2 (White)

- 4" **long lipped** cap – external fit
- Corner radius: .17"
- Extends: .87" over the profile
- Total height: 1.5"
- 204 per case @ 32lbs

VPC-EXHFL5-WH-2 (White)

- 5" **long lipped** cap – external fit
- Corner radius: .17"
- Extends: 1" over the profile
- Total height: 1.9"
- 136 per case @ 39lbs




External Short Lip Post Cap

VPC-SLEXHFL4-WH-2 (White)

- 4" **short lipped** cap – external fit
- Inside corner radius: .17"
- Extends: .54" over the profile
- Total height: 1.35"
- 120 per case @ 13lbs

VPC-SLEXHFL5-WH (White)

- 5" **short lipped** cap – external fit
- Corner radius: Square
- Extends: .46" over the profile
- Total height: 1.25"
- 70 per case @ 15lbs




New England Post Cap

VPC-NWENG4-WH-2 (White)

- 4" **square** cap – external fit
- Corner radius: .13"
- Extends: 1" over the profile
- Total height: 1.8"
- 28 per case @ 11lbs

VPC-NWENG5-WH-2 (White)

- 5" **square** cap – external fit
- Corner radius: .16"
- Extends: 1.3" over the profile
- Total height: 2.2"
- 24 per case @ 16lbs



Cape Cod Post Cap


VPC-CC4-WH-2 (White)

- 4" cap – external fit
- Inside corner radius: .125"
- Extends: 1.03" over the profile
- Total height: 2.55"
- 24 per case @ 12bs

VPC-CC5-WH-2 (White)

- 5" cap – external fit
- Inside corner radius: .19"
- Extends: 1.28" over the profile
- Total height: 2.74"
- 24 per case @ 17lbs

PVC Picket Caps



VPKT-SHPSQ-A-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.35" x 1.35"
- ▶ Corner radius: .11"
- ▶ Extends: .6" into the profile
- ▶ Total height: 1.4"
- ▶ 500 per case @ 11lbs

1 1/2" Square Sharp Point Pyramid Picket Cap

VPKT-SHPSQ-A-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.33" x 1.33"
- ▶ Corner radius: .09"
- ▶ Extends: .56" into the profile
- ▶ Total height: 1.325"
- ▶ 500 per case @ 11lbs

VPKT-SHPSQ-D-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.39" x 1.39"
- ▶ Corner radius: .125"
- ▶ Extends: .5" into the profile
- ▶ Total height: 1.52"
- ▶ 350 per case @ 8lbs

VPKT-SHPSQ-B-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.37" x 1.37"
- ▶ Corner radius: .09"
- ▶ Extends: .475" into the profile
- ▶ Total height: 1.325"
- ▶ 500 per case @ 11lbs

VPKT-SHPSQ-E-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.35" x 1.35"
- ▶ Corner radius: .125"
- ▶ Extends: .6" into the profile
- ▶ Total height: 1.42"
- ▶ 500 per case @ 12.5lbs

VPKT-SHPSQ-C-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.37" x 1.37"
- ▶ Corner radius: .19"
- ▶ Extends: .5" into the profile
- ▶ Total height: 1.52"
- ▶ 500 per case @ 11lbs

VPKT-SHPSQ-F-WH (White)

- ▶ 1 1/2" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.32" x 1.32"
- ▶ For use with **heavy wall** pickets
- ▶ Corner radius: .125"
- ▶ Extends: .6" into the profile
- ▶ Total height: 1.42"
- ▶ 500 per case @ 12.5lbs



VPKT-SHP150N-WH-2 (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: .74" x 1.36"
- ▶ Corner radius: .125"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.4"
- ▶ 500 per case @ 14lbs

7/8 X 1 1/2" Sharp Point/Spade Picket Cap

VPKT-SHP150A-WH (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: .7" x 1.33"
- ▶ Corner radius: .16"
- ▶ Extends: .91" into the profile
- ▶ Total height: 2.41"
- ▶ 400 per case @ 11lbs

VPKT-SPD150A-WH (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: .74" x 1.375"
- ▶ Corner radius: .16"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.44"
- ▶ 500 per case @ 14.5lbs

VPKT-SHP150B-WH (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: .74" x 1.36"
- ▶ Corner radius: .15"
- ▶ Extends: .92" into the profile
- ▶ Total height: 2.42"
- ▶ 400 per case @ 11lbs

VPKT-SPD150B-WH (White)

- ▶ 7/8" X 1 1/2" cap – internal fit
- ▶ Min. inside profile dim: 0.74" x 1.375"
- ▶ For use with **heavy wall** pickets
- ▶ Corner radius: .16"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.44"
- ▶ 500 per case @ 15lbs

PVC Picket Caps



VPKT-SHP3N-WH-2 (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .73" x 2.85"
- ▶ Corner radius: .125"
- ▶ Extends: .8" into the profile
- ▶ Total height: 2.82"
- ▶ 250 per case @ 13lbs



VPKT-DGR3N-WH-2 (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .73" X 2.85"
- ▶ Corner radius: .125"
- ▶ Extends: .8" into the profile
- ▶ Total height: 1.8"
- ▶ 300 per case @ 13lbs

7/8 X 3" Sharp Point/Spade Picket Cap

VPKT-SHP3-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .7" x 2.83"
- ▶ Corner radius: .19"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.9"
- ▶ 250 per case @ 16lbs

VPKT-SHP3TW-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .75" x 2.88"
- ▶ For use with **thin wall** pickets
- ▶ Corner radius: .19"
- ▶ Extends: .9" into the profile
- ▶ Total height: 2.9"
- ▶ 250 per case @ 16lbs

VPKT-SPD3-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .7" x 2.86"
- ▶ Corner radius: .16"
- ▶ Extends: .825" into the profile
- ▶ Total height: 2.83"
- ▶ 250 per case @ 15lbs

VPKT-SPD3TW-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .77" x 2.89"
- ▶ For use with **thin wall** pickets
- ▶ Corner radius: .16"
- ▶ Extends: .825" into the profile
- ▶ Total height: 2.83"
- ▶ 250 per case @ 16lbs

7/8 X 3" Dog Ear Picket Cap

VPKT-DGR3-A-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .72" X 2.79"
- ▶ Corner radius: .17"
- ▶ Extends: .7" into the profile
- ▶ Total height: 1.7"
- ▶ 400 per case @ 25lbs

VPKT-DGR3-B-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .72" X 2.83"
- ▶ Corner radius: .17"
- ▶ Extends: .7" into the profile
- ▶ Total height: 1.7"
- ▶ 400 per case @ 25lbs

VPKT-DGR3-C-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .76" X 2.87"
- ▶ Corner radius: .17"
- ▶ Extends: .7" into the profile
- ▶ Total height: 1.7"
- ▶ 400 per case @ 25lbs

VPKT-DGR3-D-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .77" X 2.91"
- ▶ Corner radius: .19"
- ▶ Extends: .7" into the profile
- ▶ Total height: 1.75"
- ▶ 400 per case @ 25lbs


VPKT-DGR3-E-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .7" X 2.85"
- ▶ Corner radius: .14"
- ▶ Extends: .85" into the profile
- ▶ Total height: 1.83"
- ▶ 300 per case @ 16lbs

VPKT-DGR3-F-WH (White)

- ▶ 7/8" X 3" cap – internal fit
- ▶ Min. inside profile dim: .77" X 2.88"
- ▶ For use with **thin wall** pickets
- ▶ Corner radius: .14"
- ▶ Extends: .85" into the profile
- ▶ Total height: 1.83"
- ▶ 300 per case @ 17lbs

Solar Lights, Bracket Sets



White Solar Light with White Top

VPL-SOL4-WH-2 (White)

- ▶ 4" X 4" cap – external fit
- ▶ Total height: 4.75"
- ▶ 12 per case @ 21lbs

VPL-SOL5-WH-2 (White)

- ▶ 5" X 5" cap – external fit
- ▶ Total height: 5.25"
- ▶ 12 per case @ 22lbs

Top easily removes to access batteries. No need to remove entire light from post!


2" X 3-1/2" Straight Bracket Set



VBKT-L235-WH-2 (White)

- ▶ Inside Dimensions: 2" X 3-1/2"
- ▶ Inside corner radius: .125"
- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs

2" X 3-1/2" Stair Bracket Set



Degree of angle:
31-38°

VBKT-S235-WH-2 (White)

- ▶ Inside Dimensions: 2" X 3-1/2"
- ▶ Inside corner radius: .125"
- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs


T-Rail Straight Bracket Set



VBKT-LTRL-WH-2 (White)

- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 16lbs

T-Rail Stair Bracket Set



Degree of angle:
31-38°

VBKT-STRL-WH-2 (White)

- ▶ Overall dimensions: 3.75" X 5.2"
- ▶ Screws included
- ▶ 24 kits (2 per kit) per case @ 18lbs

PVC Rail End Caps, Post Skirts and Accessories

3 1/2" Rail End Cap



VREC-350-A-WH (White)

- ▶ 2" x 3 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.71" X 3.22"
- ▶ Corner radius: .13"
- ▶ Extends: .5" into the profile
- ▶ Total height: .62"
- ▶ 650 per case @ 39lbs

VREC-350-C-WH (White)

- ▶ 2" x 3 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.75" X 3.25"
- ▶ Corner radius: .2"
- ▶ Extends: .49" into the profile
- ▶ Total height: .61"
- ▶ 200 per case @ 11lbs


VREC-350-B-WH-2 (White)

- ▶ 2" x 3 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.78" X 3.3"
- ▶ Corner radius: .25"
- ▶ Extends: .62" into the profile
- ▶ Total height: .72"
- ▶ 200 per case @ 9lbs

VREC-350-D-WH (White)

- ▶ 2" x 3 1/2" cap – internal fit
- ▶ Min. inside profile dim: 1.81" X 3.3"
- ▶ Corner radius: .2"
- ▶ Extends: .49" into the profile
- ▶ Total height: .61"
- ▶ 200 per case @ 11lbs

New England Post Skirt




VPS-NWENG4A-WH-2 (White)

- ▶ 4" post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.30"
- ▶ Overall outside dim: 5.49"
- ▶ 40 per case @ 9lbs

VPS-NWENG5A-WH-2 (White)

- ▶ 5" post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.62"
- ▶ Overall outside dim: 6.77"
- ▶ 40 per case @ 15lbs

2 Piece Post Skirt



VPS-2PC4-WH-2 (White)

- ▶ 4" two piece post skirt – external fit
- ▶ Corner radius: .125"
- ▶ Total height: 1.3"
- ▶ Overall outside dim: 5.49"
- ▶ 50 per case @ 9lbs

VPS-2PC5-WH (White)

- ▶ 5" two piece post skirt – external fit
- ▶ Corner radius: .16"
- ▶ Total height: 1"
- ▶ Overall outside dim: 6.63"
- ▶ 50 per case @ 9lbs

Hole Plug




VHP-580-WH-2(White)

- ▶ Fits into a 5/8" hole
- ▶ 500 per case @ 2lb


Gate Sockets and Accessories

Gate Sockets



VACC-GS-55-WH-2 (White)

- ▶ Dimensions: 1 1/2" X 5 1/2" X 4"
- ▶ 40 per case @ 15lbs



VACC-GS-35-WH-2 (White)

- ▶ Dimensions: 2" X 3-1/2" X 4"
- ▶ 48 per case @ 22lbs

PVC Glue



VGL-8W (White)

VGL-8C (Clear)

- ▶ 8 Ounce Tube
- ▶ 8 per case @ 13lbs

VGL-15W (White)

VGL-15C (Clear)

- ▶ 1.5 Ounce Tube
- ▶ 24 per case @ 3lbs

Snap Lock Tool



VT-HHSLT

- ▶ 1/4" Hand Held Snap Lock Tool
- ▶ 1 per case @ 2lbs


Notching Tool



VT-3/4NOTCH

- ▶ 3/4" Notching Tool
- ▶ 1 per case @ 6lbs

Rail Lock



VRL-A

- ▶ Rail Lock for 1-1/2", 1-3/4", and 2" Width
- ▶ 500 per case @ 15lbs

Ask about our other Fence Hardware Catalogs



Vinyl Fence Hardware



Ornamental Fence Hardware




Wood Fence Hardware



Hydraulic Gate Closers



Keyless Gate Locks



Chain Link Gate Hardware

Nautilus™
Self-Closing
Hinges

CornerStone®
The Million Cycle
Self-Closing Nylon Hinges

Keystone®
Heavy Duty
Key-Lockable Latches

Keystone® X
eXternal Mount
Key-Lockable Latches

AquaLatch®
Magnetic Pool
Safety Latches

Zip Latch™
Chain Link
Safety Latches

GateShare™
Multi-Lock Latch

Manta™
Magnetic
Nylon Latches

OrnaMAG™
Magnetic
Metal Latches

Trident™
Magnetic Gate
Safety Latches

ArmorLatch™
Magnetic
Lever Latches

LockThru™
Wood Gate
Swing Latches

V-Notch™
Hinges
and Latches

Shotgun™
Gate Closers

Ultra-tec®
CABLE RAILING INFILL



**NATIONWIDE
INDUSTRIES**