

LOW VOLTAGE LIGHTING



 **P**oly
Vinyl
Creations

 LMT Mercer Group, Inc.

www.Justpolyit.com
Marketing@polyvinylc.com


Product #
Description
**Box
Wt.**
**Box
Qty.**
**Available
Colors**

LV Wire, Decorative Lighting & Transformer for use with LED Lights

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.


1589

12 Watt Power Supply w/ Photo Eye

12 Watt, 12 Volt DC, 1 AMPs with 9' wire lead with female connector and a TEE connector. Will power approximately a maximum of 16 lights

1 lbs
1
**Skid Qty
48**

50 Watt LED Low Voltage Smart Power Supply w/ Photo eye, Timer, Remote & Bluetooth

50 Watt, 12 Volt DC, 4.2 Amps Programmable Smart Power Supply includes a uniquely paired remote key fob, 4' output wire lead with molded Tee connector, and 5' wired remote photocell. Built in Bluetooth controls, LED dimmer, timer (1-8 hours or dusk to dawn), teachable photo eye, and diagnostic troubleshooting modes. Android and iPhone apps available. Add up the total wattage of all the bulbs you will be using. This will give you an estimate of which size lighting transformer you will need. Will power approximately a maximum of 65 each (0.8 Watts) lights.

2.5 lbs
1
**Skid Qty
15**

1780

50 Watt Power Supply w/ Photo Eye, Timer & Remote

50 Watt, 12 Volt DC, 4.2 AMPs, Programmable Power Supply with Remote Dimmer & Fob, with 4' wire lead with molded Tee connector. Will power approximately a maximum of 65 lights

2.5 lbs
1
**Skid Qty
15**

1590

Dimmer for 12 Watt LED Low Voltage Power Supply w/ Photo Eye

For Use With 12 Watt Power Supply. Installed Between Transformer and Photo Eye. Includes Remote Control.

1 lbs
1
**Skid Qty
48**

1669

2' Low Voltage LED Harness

For Connection From Male Plug To Light, Splitter, Or Harness. Total Length: 24", Female and Male Connector: 0.50" Diameter

10 lbs
200
**Skid Qty
9600**

1626

5' Low Voltage LED Harness

For Connection From Male Plug To Light, Splitter, Or Harness. Total Length: 60", Female and Male Connector: 0.50" Diameter

13 lbs
250
**Skid Qty
9600**

1627

7' Low Voltage LED Harness

For Connection From Male Plug To Light, Splitter, Or Harness. Total Length: 84", Female and Male Connector: 0.50" Diameter

28 lbs
250
**Skid Qty
9600**

1628



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

LV Wire, Decorative Lighting & Transformer for use with LED Lights

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1629

9' Low Voltage LED Harness
For Connection From Male Plug To Light, Splitter, Or
Harness. Total Length: 108", Female and Male
Connector: 0.50" Diameter

26 lbs

150

Skid Qty
7200



1630

2 Output Splitter - Low Voltage LED
For Connection From Male Plug To Light, Splitter, Or
Harness. Total Length: 7.5", 1 Female and 2 Male
Connectors: 0.50" Diameter

18 lbs

300

Skid Qty
14400



1631

5 Output Splitter - Low Voltage LED
For Connection From Male Plug To Light, Splitter, Or
Harness. Total Length: 7.5", 1 Female and 5 Male
Connectors: 0.50" Diameter:
2 Caps For Unused Outputs

8 lbs

150

Skid Qty
7200



1598

Available In

Designer Products

Stair/Side Light w/ (2) ea. Covers
Oval dimensions: 1.130" x 3.223", Contains: (1) ea. Lens w/
(3) ea. LED, (1) ea. Half Cover, (1) ea. Full Cover, & (2) ea.
Screws, w/ 9" lead wire. End Connector: 0.5" Diameter for
use on Stair and side post applications, Draws 0.40 Watts,
Available in 3000 & 5000 Kelvin, 12 Lumens *Requires a
LED Low Voltage Power Supply

8 lbs

100

Skid Qty
9600
pcs

Black
W: White
KK: Khaki
NA: Almond
KT: Beige



1599

Available In

Designer Products

Dome Side Light
Diameter: 2.75", Height 1.344", (2) ea. LED, w/ 9" lead
wire. End Connector: 0.375" Diameter & (2) ea. screws,
Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 30
Lumens *Requires a LED Low Voltage Power Supply

13 lbs

50

Skid Qty
4800
pcs

Black
W: White
KK: Khaki
NA: Almond
KT: Beige



1680

Available In

Designer Products

Scalloped Dome Side Light
Diameter: 2.75", Height 1.344", (2) ea. LED w/ 9" lead wire.
End Connector: 0.5" Diameter & (2) ea. screws, Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 30 Lumens
*Requires a LED Low Voltage Power Supply

13 lbs

50

Skid Qty
4800
pcs

Black
W: White
KK: Khaki
NA: Almond
KT: Beige



1600

Flush Deck Light
Flush Mount Accent Light, Diameter: 0.995", Depth:
0.885", Contains: (1) ea. LED w/ 9" wire lead, End
Connector: 0.375" Diameter, Draws 0.40 Watts,
Available in 3000 & 5000 Kelvin, 7 Lumens
*Requires a LED Low Voltage Power Supply

8 lbs

300

Skid Qty
14400
pcs

Frosted Acrylic



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

LV Wire, Decorative Lighting & Transformer for use with LED Lights

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1649
Available in

Design Products

3" Low Voltage LED Under Rail Light
Dimensions: 2.97" x 0.52" x 0.35", Diameter, 10" wire lead, End Connector: 0.5" Diameter, Contains: Fixture & (2ea.) Screws. Draws 0.40 Watts, Available in 3000 & 5000 Kelvin, 10 Lumens
*Requires a LED Low Voltage Power Supply

4 lbs

50

Skid Qty
4800

Black
W: White
KK: Khaki
NA: Almond
KT: Beige



1752

Ornamental Low Voltage Side Light
Dimensions: 1.50" x 0.63" x 0.39", 10" wire lead, End Connector: 0.5" Diameter, Contains: Fixture & (2ea.) Screws. Draws 0.40 Watt, Available in 3000 & 5000 Kelvin, 25 Lumens
*Requires a LED Low Voltage Power Supply

6 lbs

100

Skid Qty
9600

W: White
Black

2" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1744

Design Products

2" Sq. Ornamental Downward Low Voltage Post Cap
Maximum profile dimensions 2.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.20", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 35 Lumens *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1762

Design Products

2" Sq. Ornamental Low Voltage Combo Post Cap
Maximum profile dimensions 2.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 1.60 Watts, Available in 3000 & 5000 Kelvin, 60 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1748

Design Products

2" Sq. Ornamental Low Voltage Post Cap
Maximum profile dimensions 2.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 25 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

2.5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1745

2.5" Sq. Ornamental Downward Low Voltage Post Cap
Maximum profile dimensions 2.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.20", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 35 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1763

2.5" Sq. Ornamental Low Voltage Combo Post Cap

Maximum profile dimensions 2.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 1.80 Watts, Available in 3000 & 5000 Kelvin, 60 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1749

2.5" Sq. Ornamental Low Voltage Post Cap

Maximum profile dimensions 2.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 25 Lumens *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black

3" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1746

3" Sq. Ornamental Downward Low Voltage Post Cap

Maximum profile dimensions 3.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.20", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 35 Lumens *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1764

3" Sq. Ornamental Low Voltage Combo Post Cap

Maximum profile dimensions 3.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 1.80 Watts, Available in 3000 & 5000 Kelvin, 60 Lumens *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1750

3" Sq. Ornamental Low Voltage Post Cap

Maximum profile dimensions 3.01" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 25 Lumens *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

3.5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1747

3.5" Sq. Ornamental Downward Low Voltage Post Cap
Maximum profile dimensions 3.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.20", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 35 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1765

3.5" Sq. Ornamental Low Voltage Combo Post Cap
Maximum profile dimensions 3.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 1.80 Watts, Available in 3000 & 5000 Kelvin, 60 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black



1751

3.5" Sq. Ornamental Low Voltage Post Cap
Maximum profile dimensions 3.51" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.57", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 25 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
Black
Textured Black

3.625" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1838

Available In

3.625" Sq. Cape May Halo Low Voltage Light Post Cap
(For 4" Wood Post) Maximum Profile Dimension 3.625" Sq., Corner Radius: 0.1", Extends 0.55" over the profile, Total Height: 3.130", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens *Requires a LED Low Voltage Power Supply

6

6 lbs

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1486-LED

Available In

3.625" Sq. Cape May Low Voltage Light Post Cap
(For 4" Wood Post) Maximum profile dimensions 3.625" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens *Requires a LED Low Voltage Power Supply

6

6 lbs

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1844

Available In

3.625" Sq. Haven Halo Low Voltage Light Post Cap
(For 4" Wood Post) Maximum profile dimensions 3.625" Sq., Corner Radius: 0.1", Extends 0.55" over the profile, Total Height: 3.80", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens. *Requires a LED Low Voltage Power Supply

6

6 lbs

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors


3.625" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1488-LED

Available in



3.625" Sq. Haven Low Voltage Light Post Cap

(For 4" Wood Post) Maximum profile dimensions 3.625" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 4.250", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens
*Requires a LED Low Voltage Power Supply


6 lbs
6 Skid Qty
180 pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1832

Available in



3.625" Sq. Neptune Halo Low Voltage Light Post Cap

(For 4" Wood Post) Maximum profile dimensions 3.625" Sq., Corner Radius: 0.1", Extends 0.55" over the profile, Total Height: 3.27", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.
*Requires a LED Low Voltage Power Supply

6 lbs
6 Skid Qty
180 pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1484-LED

Available in



3.625" Neptune Low Voltage Light Post Cap

(For 4" Wood Post) Maximum profile dimensions 3.625" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens
*Requires a LED Low Voltage Power Supply

6 lbs
6 Skid Qty
180 pcs

W: White
KK: Khaki
NA: Almond
KT: Beige


4" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1645

Available in



4" Sq. Cape May Downward Low Voltage Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner radius 0.094", Extends 0.545" over the profile, Total Height: 2.25", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 38 Lumens
*Requires a LED Low Voltage Power Supply


6 lbs
6 Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1839

Available in



4" Sq. Cape May Halo Low Voltage Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner Radius: 0.10", Extends 0.55" over the profile, Total Height: 3.130", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 38 Lumens.
*Requires a LED Low Voltage Power Supply

6 lbs
6 Skid Qty
180 pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1487-LED

Available in



**4" Sq. Cape May Low Voltage
Light Post Cap**
Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, Available in 3000 & 5000
Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1659

Available in



**4" Sq. Cape May Scallop Lens Low Voltage
Light Post Cap**
Maximum profile dimensions 4.010" Sq., Corner radius:
0.094", Extends 0.545" over the profile, Total Height:
3.840", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

8 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1644

Available in



**4" Sq. Haven Downward Low Voltage
Light Post Cap**
Maximum profile dimensions 4.010" Sq., Corner radius:
0.094" Extends 0.550" over the profile, Total height:
4.30", Draws 0.80 Watts, 3000 & 5000 Kelvin, 38
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1845

Available in



**4" Sq. Haven Halo Low Voltage
Light Post Cap**
Maximum profile dimensions 4.010" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.80", Draws 0.80 Watts, Available in 3000 & 5000
Kelvin, 22 Lumens.

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1489-LED

Available in



**4" Sq. Haven Low Voltage
Light Post Cap**
Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1489
Copper-LED

Available in



**4" Sq. Haven Low Voltage Light
Post Cap - Copper Plated**
Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

Copper



LV Lighting



LMT Mercer Group, Inc.

Product #

Description


Box
Wt.

Box
Qty.

Available
Colors


4" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1489

Silver-LED
Available In



4" Sq. Haven Low Voltage Light Post Cap - Silver Plated

Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

Silver



1661

Available In



4" Sq. Haven Scallop Lens Low Voltage Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile, Total height:
4.510", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

8 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1643

Available In



4" Sq. Neptune Downward Low Voltage Light Post Cap

Maximum profile dimensions 4.010" Sq. Corner radius:
0.094", Extends 0.550" over the profile Total height:
2.50", Draws 0.80 Watts, 3000 & 5000 Kelvin, 38
Lumens

*Requires a LED Low Voltage Power Supply

7 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1833

Available In



4" Sq. Neptune Halo Low Voltage Light Post Cap

Maximum profile dimensions 4.01" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.27", Draws 0.80 Watts, Available in 3000 & 5000
Kelvin, 22 Lumens.


*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1485-LED

Available In



4" Sq. Neptune Low Voltage Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1485
Copper-LED
Available In
Design Products

**4" Sq. Neptune Low Voltage Light
Post Cap - Copper Plated**

Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs
6
Skid Qty
180
pcs

Copper



1485
Silver-LED
Available In
Design Products

**4" Sq. Neptune Low Voltage Light
Post Cap - Silver Plated**

Maximum profile dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs
6
Skid Qty
180
pcs

Silver



1660
Available In
Design Products

**4" Sq. Neptune Scallop Lens Low Voltage
Light Post Cap**

Maximum profile dimensions 4.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile Total height:
3.980", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

8 lbs
6
Skid Qty
N/A
W: White
KK: Khaki
NA: Almond
KT: Beige



1776
Design Products

**4" Sq. Ornamental Downward
Low Voltage Post Cap**

Maximum profile dimensions 4.01" Sq., Corner Radius:
0.01", Extends 0.50" over the profile, Total Height: 1.20",
Draws 0.80 Watts, 3000 & 5000 Kelvin, 35 Lumens

*Requires a LED Low Voltage Power Supply

6
Skid Qty
N/A
Black
W: White
Textured Black



1778
Design Products

**4" Sq. Ornamental Low Voltage
Combo Post Cap**

Maximum profile dimensions 4.01" Sq., Corner Radius:
0.01", Extends 0.50" over the profile, Total Height:
1.57", Draws 0.80 Watts, 3000 & 5000 Kelvin, 25
Lumens

*Requires a LED Low Voltage Power Supply

6
Skid Qty
N/A
Black
W: White
Textured Black



1777
Design Products

4" Sq. Ornamental Low Voltage Post Cap

Maximum profile dimensions 4.01" Sq., Corner Radius:
0.01", Extends 0.50" over the profile, Total Height:
1.57", Draws 1.60 Watts, 3000 & 5000 Kelvin, 60
Lumens

*Requires a LED Low Voltage Power Supply

6
Skid Qty
N/A
Black
W: White
Textured Black



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4.25" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1792



4.25" Sq. Ornamental Downward Low Voltage Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.30". Draws 0.8 Watts, Available in 3000 & 5000 Kelvin, 50 Lumens
*Requires a LED Low Voltage Power Supply


6

Skid Qty
N/A

Black
W: White
Textured Black



1796



4.25" Sq. Ornamental Low Voltage Combo Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner Radius: 0.02", Extends 0.50" over the profile, Total Height: 1.86". Draws 1.6 Watts, Available in 3000 & 5000 Kelvin, 90 Lumens
*Requires a LED Low Voltage Power Supply


6

Skid Qty
N/A

Black
W: White
Textured Black



1794



4.25" Sq. Ornamental Low Voltage Light Post Cap

Maximum profile dimensions 4.28" Sq., Corner Radius: 0.25", Extends 0.50" over the profile, Total Height: 1.86". Draws 0.8 Watts, Available in 3000 & 5000 Kelvin, 40 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

Black
W: White
Textured Black


4.5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1840

Available in



4.5" Sq. Cape May Halo Low Voltage Light Post Cap

Maximum profile dimensions 4.550" Sq., Corner radius: 0.25", Extends 0.550" over the profile, Total height: 3.230", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1561-LED

Available in



4.5" Sq. Cape May Low Voltage Light Post Cap

Maximum profile dimensions 4.550" Sq., Corner radius: 0.94", Extends 0.550" over the profile, Total height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens
*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1846

Available in



4.5" Sq. Haven Halo Low Voltage Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner radius: 0.25", Extends 0.55" over the profile, Total height: 3.80", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors


6" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1843

Available In



6" Sq. Cape May Halo Low Voltage Light Post Cap

Maximum Profile Dimension 6.01" Sq., Corner Radius: 0.10", Extends 0.55" over the profile, Total Height: 3.25", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.
*Requires a LED Low Voltage Power Supply

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1510-LED

Available In



6" Sq. Cape May Low Voltage Light Post Cap

Maximum profile dimensions 6.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens *Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1849

Available In



6" Sq. Haven Halo Low Voltage Light Post Cap

Maximum profile dimensions 6.010" Sq., Corner Radius: 0.10", Extends 0.55" over the profile, Total Height: 4.09", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.
*Requires a LED Low Voltage Power Supply

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1513-LED

Available In



6" Sq. Haven Low Voltage Light Post Cap

Maximum profile dimensions 6.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1507-LED

Available In



6" Sq. Neptune Low Voltage Light Post Cap

Maximum profile dimensions 6.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens *Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1837

Available In



6" Sq. Neptune Halo Low Voltage Light Post Cap

Maximum profile dimensions 6.01" Sq., Corner Radius: 0.10", Extends 0.55" over the profile, Total Height: 3.43", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.
*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors


5.625" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1509-LED

Available in



5.625" Sq. Cape May Low Voltage Light Post Cap

Maximum profile dimensions 5.625" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1848

Available in



5.625" Sq. Haven Halo Low Voltage Light Post Cap

Maximum profile dimensions 5.5" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, Available in 3000 & 5000
Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1512-LED

Available in



5.625" Sq. Haven Low Voltage Light Post Cap

Maximum profile dimensions 5.625" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1836

Available in



5.625" Sq. Neptune Halo Low Voltage Light Post Cap

Maximum Profile Dimension 5.5" Sq., Corner Radius: 0.1",
Extends 0.55" over the profile, Total Height: 3.43",
Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22
Lumens. *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1506-LED

Available in



5.625" Sq. Neptune Low Voltage Light Post Cap

Maximum profile dimensions 5.625" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors


4.5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1565-LED

Available in



4.5" Sq. Haven Low Voltage Light Post Cap

Maximum profile dimensions 4.550" Sq., Corner radius: 0.94", Extends 0.550" over the profile, Total height: 4.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1834

Available in



4.5" Sq. Neptune Halo Low Voltage Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner radius: 0.25", Extends 0.55" over the profile, Total height: 3.27", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.

*Requires a LED Low Voltage Power Supply

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1563-LED

Available in



4.5" Sq. Neptune Low Voltage Light Post Cap

Maximum profile dimensions 4.550" Sq., Corner radius: 0.94", Extends 0.550" over the profile, Total height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1793

Available in



4.5" Sq. Ornamental Downward Low Voltage Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner Radius: 0.02", Extends 0.50" over the profile, Total Height: 1.30". Draws 0.8 Watts, Available in 3000 & 5000 Kelvin, 50 Lumens

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

Black
W: White
Textured Black



1797

Available in



4.5" Sq. Ornamental Low Voltage Combo Light Post Cap

Maximum profile dimensions 4.55" Sq., Corner Radius: 0.02", Extends 0.50" over the profile, Total Height: 1.86". Draws 1.6 Watts, Available in 3000 & 5000 Kelvin, 90 Lumens

*Requires a LED Low Voltage Power Supply

6


Skid Qty
N/A

Black
W: White
Textured Black



1795

Available in



4.5" Sq. Ornamental Low Voltage Light Post Cap

Maximum profile dimensions 4.28" Sq., Corner Radius: 0.01", Extends 0.50" over the profile, Total Height: 1.86". Draws 0.8 Watts, Available in 3000 & 5000 Kelvin, 40 Lumens

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

Black
W: White
Textured Black



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1647

Available In



5" Sq. Cape May Downward Low Voltage
Light Post Cap

Maximum profile dimensions 5.010" Sq. Corner radius:
0.094", Extends 0.550" over the profile Total height
3.250", Draws 0.80 Watts, 3000 & 5000 Kelvin, 38
Lumens

*Requires a LED Low Voltage Power Supply

7 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1841

Available In



5" Sq. Cape May Halo Low Voltage
Light Post Cap

Maximum profile dimensions 5.01" Sq., Corner Radius: 0.10,
Extends 0.55" over the profile, Total Height 3.25", Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.

*Requires a LED Low Voltage Power Supply

7 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1508-LED

Available In



5" Sq. Cape May Low Voltage
Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height
3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1662

Available In



5" Sq. Cape May Scallop Lens Low Voltage
Light Post Cap

Profile dimensions 5.010" Sq., Corner radius: 0.094",
Extends 0.550" over the profile, Total height: 3.985", Draws
0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

10 lbs

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1648

Available In



5" Sq. Haven Downward Low Voltage Light
Post Cap

Maximum profile dimensions 5.010" Sq. Corner radius:
0.094" Extends 0.550" over the profile Total height 2.410",
Draws 0.80 Watts, 3000 & 5000 Kelvin, 38 Lumens

*Requires a LED Low Voltage Power Supply

7 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1847

Available In



5" Sq. Haven Halo Low Voltage
Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner Radius: 0.10",
Extends 0.55" over the profile, Total Height: 4.09", Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 22 Lumens.

*Requires a LED Low Voltage Power Supply

7 lbs

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1511-LED

Available in



5" Sq. Haven Low Voltage
Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.340", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1511
Copper-LED

Available in



5" Sq. Haven Low Voltage Light
Post Cap - Copper Plated

Maximum profile dimensions 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.340", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

Copper



1511
Silver-LED

Available in



5" Sq. Haven Low Voltage Light
Post Cap - Silver Plated

Maximum profile dimensions 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
4.340", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

Silver



1664

Available in



5" Sq. Haven Scallop Lens Low Voltage Light
Post Cap

Maximum profile dimensions 5.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile, Total height:
4.805", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22
Lumens *Requires a LED Low Voltage Power Supply

11 lbs

8


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1646

Available in



5" Sq. Neptune Downward Low Voltage Light
Post Cap

Maximum profile dimensions 5.010" Sq. Corner radius:
0.094", Extends 0.550" over the profile Total height 2.50",
Draws 0.80 Watts, 3000 & 5000 Kelvin, 38 Lumens

*Requires a LED Low Voltage Power Supply

7 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1835

Available in



5" Sq. Neptune Halo Low Voltage
Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height: 3.43",
Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22
Lumens. *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



LV Lighting



LMT Mercer Group, Inc.

Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1505-LED

Available in



5" Sq. Neptune Low Voltage Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens *Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs


W: White
KK: Khaki
NA: Almond
KT: Beige



1505

Copper-LED

Available in



5" Sq. Neptune Low Voltage Light Post Cap - Copper Plated

Maximum profile dimensions 5.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens


*Requires a LED Low Voltage Power Supply

6 lbs

6

Skid Qty
180
pcs


Copper



1505

Silver-LED

Available in



5" Sq. Neptune Low Voltage Light Post Cap - Silver Plated

Maximum profile dimensions 5.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.230", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

6 lbs

6


Skid Qty
180
pcs

Silver



1663

Available in



5" Sq. Neptune Scallop Lens Low Voltage Light Post Cap

Maximum profile dimensions 5.010" Sq., Corner radius: 0.094", Extends 0.550" over the profile, Total height: 3.895", Draws 0.80 Watts, 3000 & 5000 Kelvin, 22 Lumens

*Requires a LED Low Voltage Power Supply

10 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1800

Available in



5" Sq. Ornamental Downward Low Voltage Light Post Cap

Maximum profile dimensions 5.03" Sq., Corner Radius: 0.02", Extends 0.50" over the profile, Total Height: 1.30", Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 50 Lumens.

*Requires a LED Low Voltage Power Supply

6


Skid Qty
N/A

Black
W: White
Textured Black



1804

Available in



5" Sq. Ornamental Low Voltage Combo Light Post Cap

Maximum profile dimensions 5.03" Sq., Corner Radius: 0.02", Extends 0.50" over the profile, Total Height: 1.86", Draws 1.60 Watts, Available in 3000 & 5000 Kelvin, 90 Lumens.

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

Black
W: White
Textured Black



Product #

Description

Box
Wt.

Box
Qty.


Available
Colors

5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1802



5" Sq. Ornamental Low Voltage Light Post Cap

Maximum profile dimensions 5.03" Sq., Corner Radius: 0.02",
Extends 0.50" over the profile, Total Height: 1.66", Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 40 Lumens.

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A


Black
W: White
Textured Black

5.5" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1801



5.5" Sq. Ornamental Downward Low Voltage Light Post Cap

Maximum profile dimensions 5.56" Sq., Corner Radius: 0.02",
Extends 0.50" over the profile, Total Height: 1.30", Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 50 Lumens.

*Requires a LED Low Voltage Power Supply


6

Skid Qty
N/A

Black
W: White
Textured Black



1805



5.5" Sq. Ornamental Low Voltage Combo Light Post Cap

Maximum profile dimensions 5.56" Sq., Corner Radius: 0.02",
Extends 0.50" over the profile, Total Height: 1.66", Draws
1.60 Watts, Available in 3000 & 5000 Kelvin, 90 Lumens.

*Requires a LED Low Voltage Power Supply


6

Skid Qty
N/A

Black
W: White
Textured Black



1803



5.5" Sq. Ornamental Low Voltage Light Post Cap

Maximum profile dimensions 5.56" Sq., Corner Radius: 0.02",
Extends 0.50" over the profile, Total Height: 1.66", Draws
0.80 Watts, Available in 3000 & 5000 Kelvin, 40 Lumens.

*Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

Black
W: White
Textured Black


5.625" Sq. LED Low Voltage Post Caps

Available in 3000 and 5000 kelvin. Please specify 3K or 5K.



1842

Available In



5.625" Sq. Cape May Halo Low Voltage Light Post Cap

Maximum profile dimensions 5.5" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height: 3.25",
Draws 0.80 Watts, Available in 3000 & 5000 Kelvin, 22
Lumens. *Requires a LED Low Voltage Power Supply

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.Box
Qty.Available
Colors**Under Rail LED Low Voltage**

1686

**68" Low Voltage LED Under Rail
Strip Light w/o Channel**

68" Under Rail Strip Light Low Voltage, Dimensions: L: 68" x W: 0.20" x D: 0.10", Connector: 0.5" Diameter, 10" wire lead, Draws 2.25 Watts, 5000 Kelvin, 200 Lumens, 102 ea. LED, is cuttable every 2"
*Requires a LED Low Voltage Power Supply

2 lbs

10

Skid Qty
N/A

1693

68" Under Rail Lighting U-Channel
Dimensions: L: 68" x W: 0.37" x D: 0.33"

4 lbs

10

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1738B

72" Under Rail Lighting U-Channel (Black)
Dimensions: L: 68" x W: 0.37" x D: 0.33"

2 lbs

10

Skid Qty
N/A

Black



1687

**92" Low Voltage LED Under Rail
Strip Light w/o Channel**

92" Under Rail Strip Light Low Voltage, Dimensions: L: 92" x W: 0.20" x D: 0.10", Connector: 0.5" Diameter, 10" wire lead, Draws 3.0 Watts, 5000 Kelvin, 260 Lumens, 138 ea. LED, is cuttable every 2"
*Requires a LED Low Voltage Power Supply

2 lbs

10

Skid Qty
N/A

1694

92" Under Rail Lighting U-Channel
Dimensions: L: 92" x W: 0.37" x D: 0.33"

5 lbs

10

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1739B

96" Under Rail Lighting U-Channel (Black)
Dimensions: L: 96" x W: 0.37" x D: 0.33"

2 lbs

10

Skid Qty
N/A

Black

The Kelvin scale measures the hue of light. "Hue" in this technical meaning refers not just to color generally, but to the relative warmth of a specific light source--its spectrum frequency or color temperature.

***All LV LED Lighting Requires our 12 or 50 Watt Power Supply**